

Serial No. 09/891,568
Art Unit: 1771

IN THE CLAIMS

1. (Currently Amended) A composite sheet product comprising a scrim embedded in a continuous coating of a foamed resin, the composite sheet product being capable of conforming to a horizontal surface and having a thickness of from about 45 to about 150 mils.
2. (Original) The sheet product of claim 1 wherein the foamed resin is selected from a group consisting of foamed polyvinyl chloride and foamed polyurethane.
- 7 ~~8~~. (Original) The sheet product of claim 1 wherein the scrim is woven.
- 8 ~~4~~. (Original) The sheet product of claim 1 wherein the scrim is non-woven.
- 9 ~~5~~. (Original) The sheet product of claim 1 wherein the scrim comprises at least one member selected from a group consisting of natural fibers, synthetic fibers and mineral fibers.
- 10 ~~6~~. (Original) The sheet product of claim 1 wherein the foamed resin is a foamed polyvinyl chloride plastisol.
- 12 ~~7~~. (Currently Amended) The sheet product of claim 1 having a thickness of from about ~~[[45]]~~ 55 to about ~~[[55]]~~ 100 mils.
- 11 ~~8~~. (Original) The sheet product of claim ¹⁰~~8~~ having a thickness of from about 55 to about 100 mils.
- 13 ~~9~~. (Original) The sheet product of claim 1 wherein at least one side has been smoothed.

Serial No. 09/891,568

Art Unit: 1771

- 14 10. (Original) A combination of a horizontal surface and the composite sheet product of claim 1.
- 3 11. (Original) The sheet product of claim 2 wherein the scrim is woven.
- 4 12. (Original) The sheet product of claim 2 wherein the scrim is non-woven.
- 5 13. (Original) The sheet product of claim 2 wherein the foamed resin is a foamed polyvinyl chloride plastisol.
- 6 14. (Currently Amended) The sheet product of claim 2 having a thickness from about ~~[[45]]~~ 55 to about ~~[[150]]~~ 100 mils.
15. (Original) The composite sheet product of claim 1 wherein the scrim is formed from spun strands.
16. (Currently Amended) ~~[[A]]~~ The composite sheet product of claim 1 wherein the ~~foam~~ foamed resin comprises a foamed polyvinyl chloride plastisol~~[[,]]~~ and the scrim comprises woven polyester ~~and the sheet product has a thickness of from about 45 mills to about 150 mills.~~
- Please enter the new claims.
17. (New) An underlayment comprising the composite sheet product of claim 1.
18. (New) The composite sheet product of claim 1 wherein at least one surface has non-slip properties.
- 20 19. (New) The composite sheet product of claim 1 wherein no adhesive is present on a bottom surface of the composite sheet product.

Serial No. 09/891,568
Art Unit: 1771

- ~~21~~ 20. (New) The composite sheet product of claim 1 having a cushioning effect.
- ~~19~~ 21. (New) The composite sheet product of claim 18 wherein top and bottom surfaces of the composite sheet product have non-slip properties.
22. (New) The composite sheet product of claim 1 having a top surface which is impervious to water.